



Das Original

Valve Stem Seals

Shaft diameter	Valve seat	Outer diameter	Height	Eling number	Materials/Types
5	7.8	11	8	476.691	FPM
5	7.8	11	10.3	308.610	FPM
5	7.8	30	19.5	392.510	FPM
5	7.8	23	15.5	061.760	FPM
5	7.8	11.2	9.7	302.890	FPM
5	8.6	21.5	15.7	333.120	FPM
5	9	11.4	11.5	904.900	FPM
5	9	24.2	14	582.530	FPM
5	10	21.5	16	539.420	FPM
5	10	23.4	15.5	506.550	FPM
5	11	24.4	19.7	429.320	FPM
5.5	8.3	11.5	8	522.930	FPM
5.5	9	11	9.5	166.190	FPM
5.5	9.5	11.8	11	020.020	AEM
5.5	9.5	18.1	13.8	262.650	FPM
5.5	9.8	12.9	12	342.000	FPM
5.5	10.8	25	18	026.650	FPM
5.5	10.8	25	18	026.680	FPM
5.5	11	13	10	130.860	ACM
5.5	11	13	10	130.560	ACM
5.5	11	28	17	151.810	FPM
5.5	12	23	14.5	167.270	FPM
5.5	13	23	15.7	222.800	FPM
5.5	11	24.4	19.7	429.320	FPM
5.5	11	24.4	20	597.360	FPM
5.6	0	10.5	14	472.240	FPM
6	8.8	12.1	10.9	250.950	FPM
6	8.5	25	16.7	574.330	FPM
6	8.8	11.4	9.5	069.630	FPM
6	8.8	12.2	9.7	403.730	FPM
6	8.8	29	17.5	090.970	FPM
6	9.2	23	17.7	027.750	FPM
6	9.3	11.8	11	020.020	ACM
6	9.8	12.6	11.1	012.410	ACM
6	9.8	12.7	11.3	022.190	ACM
6	8.8	12.2	9.3	724.590	FPM
6	9.8	13.2	9.5	369.890	FPM
6	10	23	16	198.770	FPM
6	10	25	16	007.030	FPM
6	10	26.5	17.1	149.360	FPM
6	10.6	19.6	21.7	136.940	FPM
6	10.7	13.6	12.4	550.850	FPM
6	10.8	13.5	10.6	019.140	ACM
6	10.8	13.6	10.3	707.170	FPM
6	10.8	13.6	10.3	707.180	FPM
6	10.8	13.6	10.3	864.110	FPM

Shaft diameter	Valve seat	Outer diameter	Height	Elring number	Materials/Types
6	10.8	13.7	10.3	478.410	FPM
6	10.8	23	16.2	026.670	FPM
6	10.8	23	16.2	026.700	FPM
6	10.9	28.2	20	773.390	FPM
6	11.5	23.3	19.5	157.560	FPM
6	11	23.4	15.5	332.330	FPM
6	11	26.5	16	165.560	FPM
6	11	27	19.4	440.140	FPM
6	12	24	20	127.510	FPM
6	12	24	20	127.490	FPM
6	12.4	25.3	18.7	026.630	FPM
6	14.6	27	17.8	026.640	FPM
6.3	11.6	16	10.5	553.417	FPM
6.6	8.8	12.9	9.5	763.802	PTFE
7	9.5	13.5	8.5	830.489	FPM
7	9.8	13.2	9	393.890	FPM
7	9.8	13.2	10	701.289	FPM
7	10.8	13.9	11.2	012.150	ACM
7	11.1	16	9.8	586.693	FPM
7	11.5	14	9.8	577.300	FPM
7	11.5	16	12.7	112.593	ACM
7	11.8	14.7	9	069.440	FPM
7	11.9	13.2	15	069.550	ACM
7	11.9	14.5	12.9	001.850	FPM
7	11	14.4	9.5	766.615	FPM
7	12	13.5	9.5	010.290	ACM
7	12	13.5	9.5	010.300	ACM
7	12	15	11.9	019.790	ACM
7	12	25	19.2	225.780	FPM
7	12	24.2	18.8	027.740	FPM
7	0	12	2.5	702.056	ACM
7	18.5	21.5	15	173.053	NBR
7	0	29	16	138.310	FPM
7.2	11.6	16	10	553.425	FPM
7.2	19	22	13	049.492	ACM
7.5	0	11.5	2	702.790	VMQ
7.8	0	14.3	4	020.915	ACM
8	5.5	10	12,25	8	439.530
8	10.5	13	9.5	195.952	PTFE
8	10.5	16	8.8	762.911	ACM
8	10.8	14	10	197.378	ACM
8	10.8	14.2	10.4	294.110	FPM
8	10.8	14.2	10.4	553.190	FPM
8	11,5	14.2	10	251.510	FPM
8	12	14.4	14.2	021.080	ACM
8	12	15.2	9.5	143.930	FPM
8	12	15.3	8.8	348.295	FPM
8	12	15.4	9.5	104.380	FPM
8	12	15.4	9.5	761.389	FPM
8	12	15.4	10.5	574.190	FPM
8	12	15.5	12.2	562.645	FPM
8	12	15.5	9.5	206.954	ACM
8	12	16.6	14.6	022.180	ACM

Shaft diameter	Valve seat	Outer diameter	Height	Elring number	Materials/Types
8	12	17	11	582.425	FPM
8	12	17.5	11	763.969	FPM
8	12	34	16.4	405.990	FPM
8	12,1	16	8.8	762.911	ACM
8	12.7	15.3	9.5	010.250	ACM
8	12.8	15.5	13.1	010.270	ACM
8	13.9	15.2	12.9	523.917	FPM
8	14.3	17.5	12.5	590.630	FPM
8	14	18	13.6	187.666	FPM
8	15.5	19.5	10	353.531	ACM
8.2	12	16.1	11	460.710	FPM
9	12.9	16	11.3	596.981	FPM
9	12	15	11.6	567.400	FPM
9	12	15	11.6	567.401	FPM
9	12	15.4	11	814.882	FPM
9	12	15	13	253.693	PTFE
9	12	17.5	10.5	310.751	FPM
9	12.6	15.2	12.7	214.981	PTFE
9	13	16.4	10	558.910	FPM
9	13.4	17.5	12.7	112.585	ACM
9	0	13.8	5.4	021.288	VMQ
9	14.3	17	14.2	702.951	FPM
9	14.5	29	23.4	467.880	FPM
9	14.6	19	14	325.813	ACM
9	14.6	19	15	577.898	FPM
9	15	17.5	13.5	732.120	FPM
9.3	11.2	14.7	12	022.233	PTFE
9.3	0	13.1	12	089.087	ACM
9.5	15.5	19.5	12.4	550.600	FPM
10	12.8	16.2	10	125.770	FPM
10	12.8	16.2	9.5	125.771	FPM
10	12.8	16.5	10.9	242.510	FPM
10	13	17.5	10.8	558.810	FPM
10	14	19	13	277.338	ACM
10	14.6	19	14	468.045	ACM
10	14.6	19	15	577.901	FPM
10.2	13	16.1	12	316.474	FPM
11	13	16	12	253.685	PTFE
11	14	18	14	513.723	FPM
12	15.7	20	15	562.298	FPM
12	16	20	15	193.658	ACM
12	16	20	15	562.297	FPM
12	16	20.5	15.1	453.650	FPM